

Work Order ID 145299

Thursday, May 05, 2016 1:27:27 PM

145299

Page 1

Item ID: D206-628-026BL Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Flight Step R/H For Mid Gear (Ael Blue)
 Start Date: 6/10/2016 Start Qty: 2.00 ***2*** Cust Item ID:
 Required Date: 6/30/2016 Req'd Qty: 2.00 ***2*** Customer:
 Reference:

Approvals: Process Plan: ML5 Date: MAY 06 2016 Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D4308	A								
IIN-D206-628	G								
100	Document Control	0.00							
100									
DC	Memo	0.00							
Doc.Control -USB or Paperwork	Photocopy bluefile &type labels per PPP D206-628-026 CHG 001								
110	Pick Kit	0.00							
110									
Packaging	Memo	0.00							
Packaging									

MAY / 4 2016

DAS
6
9-89

ML5 1005-17

MAY / 4 2016

DAS
6
9-89

DAS
28
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER : _____							

Work Order ID 145299

Thursday, May 05, 2016 1:27:27 PM

145299

Page 2

Item ID: D206-628-026BL Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Flight Step R/H For Mid Gear (Ael Blue)
 Start Date: 6/10/2016 Start Qty: 2.00 ***2*** Cust Item ID:
 Required Date: 6/30/2016 Req'd Qty: 2.00 ***2*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
220	QC4- 100% Inspect kits for completeness	0.00							
220						DAS 27			
QC	Memo	0.06				9-89			
Quality Control									
									MAY 20 2016
230	Identify as per dwg & Stock Location: _____	0.00							
230						DAS 28	DAS 27		
Packaging	Memo	0.00				9-89	9-89		
Packaging	Package per PPP D206-628-026 Location: FG127 125								
									MAY 20 2016
240	QC21- Final Inspection - Work Order Release	0.00							
240									
QC	Memo	0.20							
Quality Control									MAY 24 2016

MAY 24 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause				FAULT CATEGORY			
Environment ☐	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐
Design ☐	☐	Operator	☐	Bending	☐	Set-up	☐
Doc/Data ☐	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐
Equip/Tooling ☐	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐
Handling/Pre ☐	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐
Material ☐	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐
Internal Transport ☐	☐	Poor Information	☐	Crushing	☐	Countersink	☐
Tribal Knowledge ☐	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐
LOA ☐	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐
Substation ☐	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐
Past Expiry Date ☐	☐	Manufacturing Process	☐	OTHER : ☐			
Misidentified ☐	☐	Past Due	☐				

Picklist Print

Thursday, May 05, 2016 1:27:30 PM

Page 1

Work Order ID: 145299

145299

Parent Item: D206-628-026BL

***D206-628-026RI ***

Parent Item Name: Flight Step R/H For Mid Gear (Ael Blue)

Start Date: 6/10/2016

Required Date: 6/30/2016

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP rev A 11.05.26 new issue EC verified by:DD
15.10.13 ADDED BL DD VERF:JLM

IPP REV:A

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4308-042BL *D4308-042RI * Step, RH Crew		Manufactured	No				Each	2.0000	1 **	2		DAS 6 9-89	DAS 28 9-89
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				st535		2				2			
				141142		2							
D2731-7RG *D2731-7RG* Mounting Lug		Manufactured	No				Each	6.0000	5 **	4		DAS 6 9-89	DAS 28 9-89
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST531		6				4			
				129256		6							
D3394-3RG *D3394-3RG* Lug		Manufactured	No				Each	16.0000	2 **	4		DAS 6 9-89	DAS 28 9-89
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST532		16							
				114503		2				2			
				129260		6				2			
				140887		8							
D4309-1 *D4309-1* Bushing		Manufactured	No				Each	8.0000	6 **	4		DAS 6 9-89	DAS 28 9-89
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST091		8							
				137723		8							

MAY 16 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause				FAULT CATEGORY			
Environment ☐	Design ☐	Doc/Data ☐	Equip/Tooling ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Handling/Pre ☐	Material ☐	Internal Transport ☐	Tribal Knowledge ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
LOA ☐	Substation ☐	Past Expiry Date ☐	Misidentified ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
				Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
				Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
				Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
				Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
				Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
				Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
				Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
				OTHER : ☐			

Picklist Print

Thursday, May 05, 2016 1:27:30 PM

Page 2

Work Order ID: 145299

145299

Parent Item: D206-628-026BL

***D206-628-026BI ***

Parent Item Name: Flight Step R/H For Mid Gear (Ael Blue)

Start Date: 6/10/2016

Required Date: 6/30/2016

Start Qty: 2.00

Required Qty: 2.00

AN4-11A Purchased No

Each

44.0000

8

**

DAS
6
9-89

DAS
28
9-89

AN4-11A

BOLT

DAS
27
9-89

Location

Loc Qty

Loc Code

FG

20

120731

20

ST344

24

M133234

24

Each

191.0000

8

**

DAS
6
9-89

DAS
28
9-89

AN4-12A

Purchased

No

AN4-12A

Bolt

DAS
27
9-89

Location

Loc Qty

Loc Code

FG

10

120423

10

over003

125

m134606

125

ST344

56

m134180

56

Each

320.0000

4

**

DAS
6
9-89

DAS
28
9-89

AN4-15A

Purchased

No

AN4-15A

Bolt

DAS
27
9-89

Location

Loc Qty

Loc Code

GA

34

120449

34

over003

200

m134676

200

ST343

86

m134606

86

MAY 16 2016

Thursday, May 05, 2016 1:27:30 PM

Shop Packet Print

Page 2

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause			FAULT CATEGORY							
Environment ☐	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong
Design ☐	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions
Doc/Data ☐	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance
Equip/Tooling ☐	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect
Handling/Pre ☐	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing
Material ☐	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved
Internal Transport ☐	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing
Tribal Knowledge ☐	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish
LOA ☐	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread
Substation ☐	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence
Past Expiry Date ☐	☐	Manufacturing Process	OTHER : _____							
Misidentified ☐	☐	Past Due								

Picklist Print

Thursday, May 05, 2016 1:27:30 PM

Page 3

Work Order ID: 145299

145299

Parent Item: D206-628-026BL

***D206-628-026BL ***

Parent Item Name: Flight Step R/H For Mid Gear (Acl Blue)

Start Date: 6/10/2016

Required Date: 6/30/2016

Start Qty: 2.00

Required Qty: 2.00

MS21042-4 ~~MS21042L4~~ Purchased No

Each 2.0000

MS21042-4

Nut / use MS21042L4

****** 6 12 134606 DAS 6 28 9-89

DAS 27 9-89

Location Loc Qty Loc Code

ST304 2
9063 2

NAS1149D0463J Purchased No

Each 1,420.000

NAS1149D0463J

WASHER

****** 6 12 12 DAS 6 28 9-89

Location Loc Qty Loc Code

GA 328
M132035 21
M134508 307
ST260a 998
M134634 998
ST263 94
M134508 94

DAS 27 9-89

MAY 16 2016

DQA: _____ Date: _____





WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____



Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐		☐ OTHER : _____					

ITEM	QTY -041	P/N	DESCRIPTION
1	X	D4308-041	STEP, LH CREW
2	1	D4308-1	STEP
3	2	D2734	END PLATE
4	1	D3458-1	PLATE
5	1	D3458-3	PLATE
6	1	MS20601AD4W2	RIVET (OPTIONAL)



2 APPLY BLACK
ANTI-SKID ON TOP
SURFACE TO BOTTOM
OF TOP RADIUS



D4308-041 STEP, LH CREW

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3
BLACK ANTI-SKID PAINT PER DART QSI 005 4.4
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: P/N & B/N PER DART QSI 044 6.6 (REMOVABLE TAG)
- 7) WEIGHT: 0.47 lb
- 8) WELDING: PER DART QSI 004

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 145299MLS
16-05-06

RELEASED
2011-05-26
JMP

A	NEW ISSUE	CP	10.12.17
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	10.12.17		



DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. **D4308** REV. A
SHEET 1 OF 3



TITLE **STEP, CREW** SCALE NTS

COPYRIGHT © 2010 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE LTD

ITEM	QTY -042	P/N	DESCRIPTION
1	X	D4308-042	STEP, RH CREW
2	1	D4308-1	STEP
3	2	D2734	END PLATE
4	1	D3458-1	PLATE
5	1	D3458-3	PLATE
6	1	MS20601AD4W2	RIVET (OPTIONAL)



2 APPLY BLACK ANTI-SKID ON TOP SURFACE TO BOTTOM OF TOP RADIUS






D4308-042 STEP, RH CREW

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3
BLACK ANTI-SKID PAINT PER DART QSI 005 4.4
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: P/N & B/N PER DART QSI 044 6.6 (REMOVABLE TAG)
- 7) WEIGHT: 0.47 lbs
- 8) WELDING: PER DART QSI 004

RELEASED
2011-05-24

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		D4308	SHEET 2 OF 3
APPROVED		TITLE	SCALE
DE APPR.		STEP, CREW	NTS
DATE	10.12.17	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D4308-1 STEP

RELEASED
2011-05-20
MM

NOTES:

- 1) MATERIAL: MAKE FROM D2622 EXTRUSION
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.33 lbs

DESIGN	Q	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	Q		
CHECKED	ASS	DRAWING NO.	REV. A
MFG. APPR.	MD	D4308	SHEET 3 OF 3
APPROVED	MD	TITLE	SCALE
DE APPR.	MD	STEP, CREW	NTS
DATE	10.12.17	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

REFERENCE ONLY

DART AEROSPACE USA, INC.

IIN-D206-628

Page 19 of 19

5.4 CREW STEP PARTS LIST

Qty -015	Qty -016	Qty -025	Qty -026	Qty -035	Qty -036	Part Number	Description
X						D206-628-015	CREW STEP, LH 206A/B
	X					D206-628-016	CREW STEP, RH 206A/B
		X				D206-628-025	CREW STEP, LH 206L/L-1/L-3/L-4
			X			D206-628-026	CREW STEP, RH 206L/L-1/L-3/L-4
				X		D206-628-035	CREW STEP, LH 407
					X	D206-628-036	CREW STEP, RH 407
				2	2	D2731-3RG	MOUNTING LUG
2	2	2	2			D2731-7RG	MOUNTING LUG
				2	2	D3394-1RG	MOUNTING LUG
2	2	2	2			D3394-3RG	MOUNTING LUG
		1		1		D4308-041	CREW STEP, LH
			1		1	D4308-042	CREW STEP, RH
2	2	2	2	2	2	D4309-1	BUSHING
1						D4357-041	CREW STEP, LH
	1					D4357-042	CREW STEP, RH
		4	4			AN4-11A	BOLT
4	4	4	4	4	4	AN4-12A	BOLT
2	2	2	2	2	2	AN4-15A	BOLT
6	6	6	6	6	6	MS21042-4	NUT
6	6	6	6	6	6	NAS1149D0463J	WASHER (AN960JD416)

5.5 MAINTENANCE STEP PARTS LIST

Qty -017	Qty -018	Qty -027	Qty -028	Qty -037	Qty -038	Part Number	Description
X						D206-628-017	MAINTENANCE STEP, LH 206A/B
	X					D206-628-018	MAINTENANCE STEP, RH 206A/B
		X				D206-628-027	MAINTENANCE STEP, LH 206L/L-1/L-3/L-4
			X			D206-628-028	MAINTENANCE STEP, RH 206L/L-1/L-3/L-4
				X		D206-628-037	MAINTENANCE STEP, LH 407
					X	D206-628-038	MAINTENANCE STEP, RH 407
2	2			2	2	D2731-3RG	MOUNTING LUG
		2	2			D2731-7RG	MOUNTING LUG
2	2			2	2	D3394-1RG	MOUNTING LUG
		2	2			D3394-3RG	MOUNTING LUG
2	2	2	2	2	2	D4309-1	BUSHING
		1		1		D4342-041	MAINTENANCE STEP, LH
			1		1	D4342-042	MAINTENANCE STEP, RH
1						D4358-041	MAINTENANCE STEP, LH
	1					D4358-042	MAINTENANCE STEP, RH
4	4	4	4	4	4	AN4-12A	BOLT
		4	4			AN4-13A	BOLT
2	2	2	2	2	2	AN4-15A	BOLT
6	6	6	6	6	6	MS21042-4	NUT
6	6	6	6	6	6	NAS1149D0463J	WASHER (AN960JD416)

• COPYRIGHT © 2005 BY DART AEROSPACE USA, INC. •
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

Revision: G
Date: 11.02.25